

B.FOR.SC. DISSERTATIONS

1971

- McKenzie, M. The influence of lime phosphate and some nitrogenous fertilizers on the development of rhizobial populations in a hill country subsoil

1972

- Gleason, C.D.G. A study of diameter measurement in radiata pine
Kofoed, P.J. Productivity considerations of very early slasher thinning in *Pinus radiata*
Marren, M.D. Preliminary study of the utility of angle count technique in mountain beech - *Nothofagus solandri* forest in New Zealand
Tennent, R.B. The utility of stratification and sampling with partial replacement in inventory design

1973

- Carle, J.B. Quality control sampling in post-thinning assessments at Kaingaroa Forest
Chong, Sing-Lai Effect of moisture content on retention of copper-chrome-arsenate preservative in radiata pine sapwood created by vacuum pressure method
Dale, R.W. A study of root and needle distribution patterns in 6 year old *P. radiata* at Eyrewell Forest
Deadman, H.W. Farmers' attitudes towards planting trees in the Reporoa and Kaharoa farming districts
Emery, O.E. Cost benefit analysis technique of project evaluation: a method study of the beech utilisation proposal
Everts, B. Chipping slab waste
Griffiths, A.D. The profitability of *Pinus radiata* afforestation of the Upper Waimakariri Catchment
Hancock, R. Measurement of volume of mature radiata pine with a Barr and Stroud dendrometer (FP 12)
Jelinek, L.R. An investigation into the forest pattern in a beech/ podocarp forest
Johnson, B.C. The physical and mechanical properties of *Pinus radiata*(D. Don) from Taranaki
Larsen, A.T. Utilisation of bark residues generated around Christchurch city
Lee, R.O. Construction of a radiometric instrument
Marston, A.L. Perspectives in recreational land use
Moore, E.D. Study of direct beam solar radiation within a mountain beech forest
Newell, K.G. A study of veneer peeling costs at N.Z. Forest Products Limited, Kinleith
Ogle, D. An attempt to assess by survey, recreationists attitudes and preferences concerning the Craigieburn Forest Park
Platt, R. A preliminary investigation of three variables affecting the strength of a glue-bonded wood joint
Poole, B. Wood quality studies in fertilised and control plots *P. radiata*
Shaw, J.F. Selection logging, ten years after: an analysis of growth rings in rimu (*Dacrydium cupressinum* Lamb.) South Westland
Smale, P.J. Network diagramming and linear programming applications for large scale *Dothistroma pini* spraying operations
Somerville, A.R. A preliminary investigation of growth and condition parameters of the Upper Wairau Valley possums
Stevenson, H.W. A survey of gorse weevil activities in Ashley Forest
Vaney, J.C. Assessment of quality control procedures for sawmill chip production
Ward, N.N. The influence of knots, grain distortion and corewood on the stiffness of green radiata pine timber
White, P. An analysis of New Zealand's trade with Australia with respect to the forest sector, and the effect of NAFTA

1974

- Anh, Nguyen Dinh A steam-press process for curing phenolic resin particleboard
Baigent, C.L. The relationship of wood density of *P. radiata* and soil types in the Nelson region
Brummer, T. An evaluation of quarantine procedures in the Canterbury conservancy

- Caddie, Andrew A survey of private woodlot owner's opinion and attitude to certain aspects of woodlot management
- Chin, Tick Yew The influence of moisture content on PVA glued *P. radiata* laminate
- Cuddihy, M.J. Strength in relation to moisture content below fibre saturation point
- de Stigter, T.L. Tall oil from a sample of 13 year old *P. radiata* thinnings
- Filer, G.C. A survey of wooden pallet usage in Christchurch
- Gillman, A.E. A suggested method of quality measurement
- Halkett, J.C. The composition and pattern of Peel Forest
- Haslett, A.N. Kiln drying of New Zealand-grown Southern pines
- Hay, P.G.C. The viability of selected Canterbury gorse seed populations in the two dominant seeding periods
- Hill, P.J. A comparative economic analysis of integrated farm forestry, pure farming and pure forestry on the Waitara Block, Hawkes Bay
- Johns, J.C. Bottle Lake forest public recreation survey 1974
- Lockie, I.J. A comparison with the Nordfor Tree Felling Technique and the conventional tree felling technique used in Kinleith Forest
- Lowry, D. Investigation into the distribution of the black beech scale
- Perry, J.C.H. A study of the anatomical features of the root and stem secondary xylem from two locations
- Ross, A.D. Plant succession on burn sites in the Tararua Ranges
- Scott, J.A.N. A comparison of density sampling methods used for calculating abundance
- Simeonidis, T.G. Suitability of a range of basal area factors in assessing basal area per unit area of a largely untended old crop of *P. radiata* (D. Don) in terms of precision of estimate and efficiency of sampling
- Steel, K.W. A comparative cost survey of flooring construction methods in Hamilton city
- Tham, Chee Keong A comparative study of aerial-photo and ground measurement of tree parameters
- Walter, R. The measurement of knotty core diameters of *P. radiata* stands at Tapanui to assess the profitability of pruning

1975

- Ashari Bin Abdul, J. Effect of rate of loading on the modulus of rupture in *Pinus radiata* clear wood samples
- Barclay, T.V. Regulation of clearfelling Douglas fir by linear programming
- Bell, P.D. A preliminary study on the effects of the Southland Beech Scheme on hunting
- Bishop, D.M. An historical account of sawmilling in Hawkes Bay
- Blakeney, M.R. An investigation into the within tree distribution of silica in mountain beech (*Nothofagus solandri* var. *cliffortioides* (Hoof, f.) (Oerst)
- Boon, S.C. The preservative treatment of beech species
- Bunckenburg, M.L. Recreational user survey - Holdsworth Lodge, Tararua Forest Park
- Carson, M.J. Variation in flowering at the Amberley seed orchard
- Cassells, R.M. The influence of tree diameter growth on *Platyypus* attack
- Couper, J.T. The costs and benefits of the University of Canterbury Students Association Afforestation Project
- Dallas, I.C. Defect plots in the Southland Beech Scheme - their layout, assessment and use in the scheme
- Dolman, K.M. A forest succession following fire on bush edge of mixed podocarp stand
- Dunlop, J.A. Some financial aspects of farm forestry woodlots
- Heath, H.P. The characteristics after deep ripping and irrigation - Eyrewell Forest
- Lau, M.P. The preservative treatment of freshly peeled radiata pine veneer by immersion
- Lerew, C.J. A study on the accuracy of the Swedish Bark Gauge
- Manley, B.R. Study on the effect of fertilising and ripping on the branch growth of young radiata pine at Eyrewell Forest
- Maxwell, B.W.J. The role of Maoriland in forestry - past, present and future
- McLean, D.W. A discussion of some landscaping concepts applicable to New Zealand with particular reference to exotic forestry
- Nicholas, I.D. Utilization proposals for kanuka
- Novis, J.B. The epidemiology of poplar rust in Canterbury
- Roper, J.G. The effect of site treatment on the relationship between various branch variables
- Smith, W.M. The development of the Tararua Forest Park and its implications
- Turbitt, M. Root development of young radiata pine at Mangatu Forest
- Williamson, M.J. A study of feral goats (*Capra hircus* L) from Tai Pari, French Pass area

1976

- Allen, R.B. The significance of Rusa deer (*Cervus timoriensis*)
- Bell, A.C. Scrub associations and podocarp regeneration in the Pouakani ecotone
- Bennison, B. The development of a compartment register system
- Bradshaw, J.R. The problems and effects of a major change in land use to large scale afforestation on the Wairau North Bank Catchment Control Scheme, Marlborough
- Buckman, I.W. The influence of effective soil depth on height growth of *P. radiata* in three soil types at Lismore State Forest
- Chandler, S.G. An investigation into the use of line dozing as a site preparation technique
- Croskery, S.W. A comparison of some early pruning and thinning schedules suitable for farm forestry
- Fischer, G.W. The application of ultra sonic techniques to the determination of strength and soundness of wood
- Fleming, J.H.H. A comparison of two methods of standing volume assessment in beech-podocarp forest
- Godsiff, S.J.N. An evaluation of two inventory techniques used in the Maimai Valley
- Hennessey, M. Aspects of labour supply in logging
- Inglis, M. An analysis of factors contributing to erosion in the Hamilton Catchment, Wairau drainage
- Jenkins, I.C. An assessment of the actual and potential impact of NAFTA on NZ forestry
- Jones, R.O. Behaviour of dowelled glued timber joints
- Keach, P. The control of gorse (*Ulex europeaus*) in the establishment of radiata pine in N.Z.
- Leathwick, J.R. The effectiveness of site preparation and establishment techniques in preventing windthrow at Eyrewell Forest
- Liley, W.B. Projecting volume in young radiata pine trees
- McCallum, W.K.J. A comparison of the point-distance and line-intersect sampling techniques for assessing the volume of windthrown timber
- McEwen, S.E. A study of foxtail height, diameter and frequency in a three year old stand of *Pinus caribaea* var. *hondurensis*
- Miller, R.R. The economics of farm forestry: a case study
- Nicholls, M. The recreational potential of three historic sites at Reefton
- Orr, R. An investigation of the precision possible from four different methods of sampling for basal area
- Reay, B. Conflicts of multiple use and recreational problems in the N.W. Nelson State Forest Park
- Springford, O.J. The utilisation of dressing grade rimu timber in Christchurch
- Stewart, I.M. An evaluation of recent trends in labour and machinery cost in N.Z. forestry
- Taylor, M.M. Mortality studies in a naturally regenerated stand of *Pinus contorta*
- Telfer, B.S. The synecology of the Okuti Valley Scenic Reserve
- Tsao, H.K. The effect of rain on the drying of timber
- Twaddle, A.A. Work study in windthrown timber

1977

- Black, R.J. Mechanization of production thinning
- Chan Chok Hang, H. A preliminary analysis of the distribution of the Sarawak red-Meranti *Shorea* timber species
- Clark, P.D. Motivation and morale in the environmental forestry work force
- Cooney, K.R. Factors affecting the decision of changing to a highly mechanized harvesting system
- Cowan, M.A. Growth models for South Canterbury forests
- Craib, D.G. A study of rootwood density and its variation with age and position from the root collar in *P. radiata* D. Don at Eyrewell State Forest
- Eder, N.L. Determination of avifaunal habitat requirements at Bottle Lake Plantation
- Gibson, A.J. Container-grown eucalypts: a feasibility study
- Grallelis, S.A. Stem analysis in McLeans Island
- Hart, R.K. Aspects of energy forestry in New Zealand
- Jenkins, C.M. Recent changes in the beech/podocarp-hardwood ecotone of the South Western Ruahines
- Knowlton, J.E. A comparison of wood and 'Champion' aluminium medium pruning ladders
- Robin, P.J. Growth of Rewarewa
- Shapland, I.C. The technique of activity sampling in forest work study and an example of its use
- Skevington, M. An economic appraisal of the use of scrublands and grassland as an alternative to *Armillaria* prone Tawa-Podocarp forest for *P. radiata*
- Webster, R.H. Competitive stress index: an evaluation
- Williams, S.T. Vegetation descriptions of Mt Grey beech and podocarp forests

1978

- Adams, P.M.
Apthorp, B. Foxtailing in *Pinus caribaea* var. *hondurensis* at Lolo Station, Fiji
The proposed Hooker Wilderness area: the case for it and management considerations
- Bloomberg, M.
Carpenter, P.M.
Christmas, J.
Cooney, K.R.
Coppens, A.G.
Cox, O. Determination of a weight/volume relationship for Lismore soils
The utilization and disposal of Waipa Sawmill residues
An anatomical study of ring shake in *Pinus radiata* from Balmoral State Forest
Some factors affecting the decision of changing to a highly mechanized system
Progress in integrated utilization of New Zealand wood
Conflict in multiple use - the case of hydro electric development in the Tararua Forest Park
- Crozier, L.
Evison, E.A.
Foster, D.H.
Giblin, M.
Hare, R.B.
Hoyte, D.J.
Jones, P.
Katz, A.
Langston, P.W.
Llewellyn, M.C.
Maliapen, R.
Manners, G.N.
Maplesden, F.M.
Ockenden, M.A.
Robinson, P.A.
Russell, G.L. A study of beech honeydew in the Oxford State Forest
The status of black beech at Oxford
The development of understoreys in pine plantations at Aupouri
The recreational carrying capacity of the Redwood Grove
The role of commercial operations in controlling possums
A study of the costs per cubic metre for a logging residue recovery operation
A study of the roading network at Whangapoua Forest
Root pruning of potted nursery stock of *p. caribaea* (var. *Hondurensis*)
Exclusion plots - their potential and problems in New Zealand forestry
The vegetation of Magnificent Gully, Orton Bradley Park
An opinion survey on women in professional forestry in New Zealand
The growth of timberline mountain beech in the Richmond Range
Bird habitat in Golden Downs Forest
Centrifugal drying of wood
Contributions of forestry and agriculture to regional economies
Observations on the effect of nitrogenous fertilizer on mycorrhizal fungi at Eyrewell Forest
- Sanson, L.V.
Sole, J.
Steele, G.M. Invasion by maritime pine in Abel Tasman National Park
The physical and mechanical properties of *Meliccytus ramiiflorus* (Mahoe)
A trial to evaluate the effects of three selected liquid fertilizers on the growth of *P. radiata* and *E. regnans* seedlings
- Strawbridge, K.R.
Thorpe, T.
Turnbull, J.
Wiffen, C.
Wiltshire, A.G. The questionnaire in forestry - a management tool
A study of *Pinus radiata* fascicles - between treatment and within tree trends
Net energy analysis of two logging operations
Marketing sawlogs from State exotic forests in Hawke's Bay
The use of hut log books as a tool in recreational forest management

1979

- Baddeley, C.J.
Bennett, P.P.
Bergervoet, A.J.
Chan, Lek Lim
Cleland, M.R.
Corbett, H.D.
Douglass, R. The potential for game management in the Tararua & Kaimanawa Ranges
An owner's management plan of Mount Tarawera
Distribution of marine borer in the intertidal zone: Tauranga Harbour
Bark anatomy of New Zealand *Podocarpus* species
Effect of moisture content on boric acid retention in *P. radiata* sapwood
A Kiwi survey within an exotic forest
Investigation into cycle & rigging time standards for the Timbermaster and Wilhaul light thinning haulers - downhill extraction
- Evison, D.C.
Fielder, M.R.
Gamble, J.C.
Glass, B.P. Pre-stratification for Fiji Pine Commission routine inventories
A study of the logging labour force
The past effect of logging on regeneration in Whirinaki State Forest
Effects of windrowing and fertiliser applications of growth & nutrition of *P. radiata* on Lismore soils, Canterbury
- Haslett, S.J. Practical implications from the response of stem & branch growth of young *P. radiata* to the application of fertilizers in Riverhead State Forest
- Kater, M.L.
Kay, R.A. Black walnut: its management and economic potential
Stem analysis of established radiata pine's response to fertiliser at Golden Downs, Nelson
- Lay Yee, J.
Mannan, S.
McKenzie, M.R. The effects of price control and its removal, on indigenous timber
Working life in a timber camp
The effect of fertilising on branch growth of radiata pine on the Moutere Gravel Soils of Nelson
- Molloy, P.F. Stream temperatures in West Coast beech forests

- Nieuwland, P.R. Influences on height growth of Kauri (*Agathis australis* Salisb.) at Omahuta Forest
 Quah, Yin Thye Provenance trials of *Pinus caribaea* in West Malaysia
 Riordan, M.P. The effect of site on branch development
 Sewell, C.J. The effect of discolouration on the impact strength, density & moisture content of red beech
- Slater, M.J. The effect of the opossum (*Trichosurus vulpecula*) on Rata and Makahi stem density in the Copland Valley Westland National Park
- Smale, M.C. White pine bush: the synecology of an alluvial Kahikatea forest
 Southen, D.I. An investigation into the basal area growth of *P. radiata*(D. Don) on Banks Peninsula and the Port Hills
- Strongman, D.J. Tangoio Soil Conservation Reserve - Landscape & Recreational Management Proposals
- Ting Kang Hwa, N. Effects of N.Z. Deerstalker's Association deer control in the Nina Catchment
 Wiggins, P.C. Spiral grain in *Pinus caribaea* in Fiji
 Wilkinson, A.P. Some secondary effects of plantation forestry: a case study at Golden Downs State Forest

1980

- Anderson, R.M. A review of the Forestry Encouragement Grant Scheme with particular reference to Auckland Conservancy
- Brettell, M.A. Town and Country Planning - and its relevance to exotic forestry
 Hammond, D.R. Guidelines for establishing a recreational hunting area in the Caples and Greenstone Valleys
- Hughes, R.M. Private operator Possum control and its administration
 Kerdemelidis, E. The production of Paraquat induced Oleoresin in *P. radiata*, *P. nigra* var. *Laricio*, *Pseudotsuga menziesii*, *Larix decidua*, *Cupressus macrocarpa* & *Nothofagus solandri* var. *Cliffortioides*
- Millen, P.H.A. 'Who pays?' Logging traffic on county roads - a case study of Ngaumu Forest
 Oosterhuis, P.H. Measuring wind reduction effects of shelterbelts
 Raymond, K.A. An investigation into the production of wood sugars by acid hydrolysis
 Revington, B.M. An evaluation of the Ministry of Works and Development resource inventory and land capability classification worksheet series
- Robertson, D.C. The valuation of city trees
 Rolfe, M.L. Log scaling at Drasa Post and Pole Yard
 Thompson, D.K. Determination of the effect of treatments on throughfall: thinning and fertiliser
 Thorp, G.E. Ester Formulation, additive and application rate response of gorse seedlings to 245-T
- van Ballekom, J.F. Soil compaction following logging in Cpt. 68 - Kaingaroa State Forest: a preliminary study
- Wilks, P.J. Exotic forestry and its effects on marine farming in the Marlborough Sounds
 Williams, M.F. The production and marketing of Rimu (*Dacrydium cupressinum*) and Kahikatea (*Dacrycarpus dacrydioides*) from South Westland
- Wong, Tuan Wah Twist in timber sawn from *P. caribaea* with a range of spiral grain angles in Fiji
 Woolmore, C.B. Some wood properties of Sitka Spruce (*Picea sitchensis*) and Douglas fir (*Pseudotsuga menziesii*) in Westland
- Yap, Yee Hwai A review of development problems faced by forestry and forest industries of Peninsular Malaysia

1981

- Baker, P.N. Predicting "Diameter over-stubs" in Wellington Regional Council Forests as a method of evaluating pruning schedules
- Bannan, K.J. Management proposals for T.W. Adams Estate Greendale
 Briden, K.W. Podocarp regeneration at Maori Beach, Stewart Island, following logging operations from 1913 to 1931
- Cassie, A.J. The ecological status and successional role of broom (*Cytisus scoparius*) in the Rogerson Catchment, Hanmer
- Cromarty, P.L. Validation of Fiji Pine Commission yield forecasting model
 Eggleston, N.T. An assessment of mortality in terrace rimu forest following selection logging by branched radial hauling
- Foran, W.M. Steep country thinning: a systems appraisal
 Keall, G.P. An appraisal of tree crop options: Tairua State Forest
 Lindsay, W.T. A study of monocyclic trees in Southland Forests
 Mackie, G.T.R. North Island low pruning standards

- Murdoch, C.S. Production forestry potential of Banks Peninsula - a case study on volume production and product outturn from Okuti Valley
- Pearce, S.E. The increase in wood permeability during water storage as a result of bacterial attack with particular reference to Douglas fir (*Pseudotsuga menziesii* (Mirb.) Franco)
- Scott, J.L. Some effects of thinning and nitrogen fertilizer treatments on moisture stress in *Pinus radiata* D. Don
- Sim, Lee Huat The effectiveness of water repellents as natural finishes in *Pinus radiata*
- Stewart, I.H. The potential markets for New Zealand sawn timber in Australia
- Turnbull, C.C. Forestry cooperatives: an application to the New Zealand environment
- Ward, B.P. Factors affecting the marketing of *P. radiata*(D. Don) sawlogs from farm woodlots in the Southland Planning District

1982

- Alexander, G.H. The forest pattern of Punaruku Valley and its relationship to multiple-use
- Balme, I.D. The effect of nut size on seedling growth in black walnut (*Juglans nigra*)
- Bellingham, P.J. Some ecological aspects of Matai (*Podocarpus spicatus* R.Br. ex Mirbel) in West Taupo indigenous forests
- Cane, P.T. Effect of L-77 and Actipron on broom herbicides
- Darling, D.G.G. An application of diameter over stubs prediction models and variable height pruning gauges to the scheduling of stands for variable height pruning
- de la Mare, P.J. A comparison of the returns from a framing regime with those expected from a post regime on a farm in Southland
- Denton, R.R.A. The effect of root collar diameter: shoot length ratio on growth of 1/0 *Cupressus macrocarpa* seedlings
- Everitt, A.S. An economic evaluation of recreational benefits: Kauaeranga Valley, Coromandel State Forest Park
- Fyfe, A.J. The Holt Forest Trust - a review of management and silvicultural methods
- Gilchrist, D.B. The future of wood as a domestic energy source for the Christchurch area
- Hosking, P.A. The economics of firewood production
- Jenkins, I.D. Basal area current annual increment trends in young *Pinus radiata* stands (D. Don)
- Ledgard, D.R. A qualitative and quantitative examination of alternative silvicultural regimes in the South Canterbury foothills with reference to the evaluation of climatic factors that may affect these regimes
- Lovelock, B.A. Podocarp and hardwood regeneration on the Ruggedy Flats, Stewart Island
- MacLaren, J.P. Chemical warfare in the forest - allelopathy in New Zealand forestry - a literature review and an experiment
- Marshall, P.S. A comparison of normal standard times and standard times derived from logging salvage in a wind damaged stand at Golden Downs in November 1981
- Morey, C.W. The relative demand for major sawn timber, post and pole products of *Pinus caribaea* in Fiji: a study of the domestic market based on sales from the Fiji Pine Commission's timberyard at Drasa
- Panckhurst, A.D. Grazing as a means of pampas control at Woodhill State Forest - a financial analysis
- Parish, J.W. Evaluation of Velpar S.P.90 in pampas control, using hand methods of application, Tairua S.F.150
- Richards, C.R. A comparative study of the root strength, length and biomass of *Pinus contorta* var. *contorta* and *Pinus mugo* var. *mughus* in the Craigieburn range
- Simmons, P.J. Relationships between soil and vegetation in a terrace rimu forest, South Westland
- Tan Chee Kiat Sawn outturn of *Pinus caribaea* (Fiji pine) in Fiji
- van Rossen, R.J. Self loading trucks in New Zealand forests and what factors affect their productivity
- Wybourne, L.J. A review of spacing and thinning in *Pinus caribaea* var. *hondurensis* in Fiji (including the analysis of a spacing and a thinning trial as Seaqaqa)

1983

- Beale, S. Influence of aspect on branch size within the second log of thinned radiata pine stands at Berwick State Forest
- Bryant, M.A. The effect of seedling density on *Eucalyptus regnans* seedling characteristics and their subsequent growth
- Connolly, S. An investigation into the propagation and growth of selected Kauri (*Agathis australis*) seed trees at the Sweetwater Nursery

- Cossens, G.P. A comparison on the growth of *Pinus muricata* var. *borealis* and *Pinus radiata* in Westland
- Cox, P.R. Application of the Golden Downs radiata pine growth model to the North Canterbury foothills radiata pine forests
- Dearsly, R.J. Root growth potential in topped and untopped $\frac{1}{2}$ /0 radiata pine seedlings
- Duggan, M. The silviculture and potential of *Cryptomeria japonica* in New Zealand
- Duncan, I.S. The future potential of pole and roundwood pile housing - Auckland survey
- Goodwin, R.R.W. "An overview of operations" McVicar Timber Group Ltd, Johns Road, Christchurch
- Gounder, S.K. Foxtailing in *Pinus caribaea* var. *hondurensis* in Fijian plantations
- Jeffries, P.W. A comparison of variable height pruning and fixed height pruning prescriptions by foliar mass removal at Woodhill Forest
- Johns, A. Sawn throughput of *Pinus caribaea* (Fiji pine) in Fiji
- Jolly, I.G. Sawn outturn of *Pinus caribaea*(Fiji pine) in Fiji
- Kiddle, G. A provisional model for the proposed management of a wapiti herd (*Cervus elaphus nelsoni*) in North West Nelson
- Markman, T. A study of the recreational carrying capacity of Kaimanawa State Forest Park and implications for management
- Middlekoop, E. Differences in foliar nitrogen concentration and oven dry weight of needles between first and second order branches on twelve year old *Pinus radiata*
- Moffat, G.F. Trees grown from cuttings compared with trees grown from seed (*Pinus radiata* D. Don)
- Molloy, G. *Cupressus lusitanica*: potential in New Zealand
- Neumann, A. A felling technique analysis
- Read, E.G. An analysis of the accuracy of the wide-scale Spiegel Relaskop in *Nothofagus* forests
- Robertson, P.J. Growth studies of Carribeian pine
- Schellekens, P. Volume tables for Douglas fir in exposed areas on the Canterbury Plains
- Snowden, K. Predicting breakage during the felling of *Pinus elliotii*
- Veale, B.J. Growth effects from fertilising radiata pine on pumice soils
- Wisniewski, J.M. An improved establishment system's effect on lowering the selection ratio for radiata pine plantation forestry

1984

- Adams, P.R. Commercial forestry potential of land retired from grazing at Flock Hill Station, Waimakariri Basin
- Aitken, H.E. A tree height prediction model of intensively managed radiata pine in the Tukituki Valley, Hawkes Bay
- Bendall, M.B. A consideration of the ability of Port Chalmers to handle the expected increase in forest products exports from the Otago/Southland region
- Best, T.F. An evaluation of recreation planning and management at Hanmer Forest Park
- Boardman, R.M. Early thinning of *Pinus radiata* in Kaingaroa State Forest
- Cannon, L.J. Variation in foliar element concentrations in *Eucalyptus delegatensis* at Eyrewell Forest
- Cawood, S. The incidence of *Diplodia pinea* (Desm.) kickx die-back on *Pinus radiata* D. Don: a forest manager's viewpoint
- Gan, G.S. Improving patterns for sawing logs of Fiji pine through computerised simulation
- Hitchings, M. Substitution of solid rimu timber in Christchurch furniture manufacturing industries
- Hutton, C.D. An economic evaluation of spur road and landing layouts
- Jeune, P.A. An attempt to analyse the factors affecting production of two Madill 071 cable hauler operations in Kaingaroa State Forest
- Kanyemba, I. Contribution of forestry and forest industries to the economy of Zimbabwe
- Krausse, M.K. Sawn outturn grades from *Pinus caribaea* var. *hondurensis* (Fiji pine) foxtails: an analysis and review
- Langford, M.D. Natural regeneration of exotic conifers at Lake Colderidge sheep-run
- McKenzie, D.S. Conserving a forest for its biological values: using a forest as a source of resources; what are the attitudes?
- McNabb, I. An attempt at checking bucking performance during hauler logging using A.V.I.S.
- Murphy, B.T. Pikiariki ecological area: its patterns, processes and management
- Oliver, P.R. The effect of competition from broom (*Cytisus scoparius*) on the root vigour of radiata pine (*Pinus radiata*)
- Patel, N. Pine crop resource assessment forest inventory field manual 1984

- Perley, C.J.K. An evaluation of the replacement of untended radiata pine shelterbelts in Highbank, Mid-Canterbury, using a simulation model
- Poole, D.J. An assessment of an unthinned *Pinus muricata* provenance trial at Naseby State Forest
- Sullivan, M.L. Determining prices for radiata clearwood
- Taylor, P.J. A comparison of three production thinning methods in 13 year old *P. radiata* (D. Don)
- Thompson, P.G. Variation in *Pinus radiata* D. Don foliar nutrient concentrations as influenced by sampling procedure and compared to litter sampling
- Turland, J.H. Management model of the Fiji Pine Commission's forest resource
- Van der Kroft, E. The performance of a plastic polymer coating and a water repellent preservative in the control of moisture absorption by wood
- Wallace, I.M. A preliminary study of skid accidents in New Zealand
- Weblin, P.E. An evaluation of production thinning at Woodhill State Forest
- Wiessing, D.P. A comparison of methods for height/age curve construction in Douglas fir, Ashley Forest

1985

- Bell, G.J.C. A comparative study of Madill-009 and Washington-88 log haulers
- Bennett, A.C. Grazing to control pampas at Maramarau State Forest - a tree damage assessment trial
- Brown, J.A. Improving value and recovery from Fiji pine sawlogs
- Casey, P.J. The role of the forester in New Zealand: a questionnaire and interview approach
- Chadderton, B.R. Proposals for the establishment of the Ruggedy's Ecological Reserve, Stewart Island
- Collins, J. Skidder performance
- Crosado, C.B. The effect of Gibberellic and Indole-3-Acetic acids on the development of bare root seedlings of *Pinus radiata* and *Cupressus macrocarpa*
- Dunn, M.L. An investigation into forest pattern in mixed beech forest: Lewis Pass
- Goatley, D.M. Determination of diameter for variable-lift pruning of radiata pine
- Larsen, A.B. A preliminary investigation of cable logging and the influence of piece size on cost and productivity
- Law, F.K. An evaluation of the machinery requirements of the Murupara log yard
- Mackay, A.G. Forest grazing management
- McCormack, L.V. Economic analysis of a shelterbelt providing south-west shelter
- Maddren, C.L. Changing needle area, dry weight and specific leaf area within the canopy of, and in an age sequence of Douglas fir stands, Ashley Forest, New Zealand
- Moore, S.H. A study of windthrow and coupe logging in Saltwater State Forest, South Westland
- O'Neill, T.B. Southern Ruahine landslip revegetation assessment: report on first remeasurement
- Orme, P.M. A preliminary combined-variable volume equation for *Chamaecyparis lawsoniana* in Ashley Forest
- Paalvast, A.G.J. Chainsawmilling and subsequent extraction by helicopter in South Westland
- Platts, G.F. Pinholes in newsprint
- Smith, K.R. An evaluation of crosscutting and M.A.R.V.L. procedures at Woodhill State Forest
- Sutherland, P.J. An evaluation of the accuracy of the Southland *Pinus radiata* volume function T13 SD P.RAD. 1952
- Sweetapple, P.J. The lowland distribution of beech (*Nothofagus*) north of the Haast River, South Westland
- Taylor, S.M. Height-age curves for *Pinus radiata* D. Don in Marlborough
- Townley, G.A. Forest interpretation - an approach to planning interpretative services in New Zealand
- Wilcox, P.L. The effect of soil condition, fertilizer and insect damage on *Dacrycarpus dacrydioides* seedlings in the southern Mamaku Plateau
- Wood, A.R. Deadman anchors - anchoring guide analysis with respect to the New Zealand situation

1986

- Baxter, W.A. Regeneration patterns following logging in terrace rimu forest, South Westland
- Cairns, R. The effects of stocking on height, diameter, and volume production of six year old *Eucalyptus nitens*

- Clover, D.G. The effect of v-blading on the growth and malformation of *Pinus radiata* (D.Don) in the central North Island
- Collins, R.J. The relationships between landform, soils and vegetation in South Westland terrace rimu forests, New Zealand
- Docking, S.J. The application and refinement of pruning gauges for variable-lift pruning of radiata pine
- Gadd, J.M. Evaluation of pampas grass as a shelterbelt species, and consideration of possible alternatives
- Green, R.D. Deer utilisation by the Forestry Corporation at Whirinaki State Forest Park
- Handford, P.A. Urban forestry in Blenheim
- Heine, S. A study of the recreational users of Whakarewarewa Forest Park
- Hinton, I.W. An investigation of species association and small scale forest pattern in relation to topography on an ecological transect at Pureora
- Janett, D. Factors affecting fuel consumption of skidders
- Jones, T.G. Spacing analysis of *Pinus caribaea*
- Keenan, S.St.J. *Nothofagus* on Banks Peninsula: an investigation into its distribution and potential management
- King, P.T.B. Physical characteristics of eucalyptus species as a short rotation firewood crop
- Kwant, M.P. A management strategy for old crop stands in Hanmer Forest Park
- Leaming, R.V. Study assessing soil disturbance of a Washington 88 cable logging system and a ground based Komatsu D85 tractor system in Kaingaroa State Forest
- Leslie, I.K. A survey on the characteristics of the New Zealand log trucking fleet
- McPherson, A.J. The potential of Corsican pine (*Pinus nigra var laricio*) in North Canterbury
- Merton, P.J. Investigation of two Pakihi mires in South Westland
- O'Dea, S.M. A management proposal for the establishment of a firewood plantation on Stewart Island
- Parkes, T.R. Determination of the increment density pattern for even-aged regrowth of *Eucalyptus pilularis* SM. using the response increment method of analysis
- Reid, S.B. Revisions of equations to forecast yields of Caribbean pine in Lololo Forest, Fiji
- Self, R. A study of the attitudes of farmers in the Hawera district of Taranaki towards forestry
- Seymour, L.A. Production thinning realisation
- Sutton, A.E. Identification of slope stability and erosion problems related to logging on Hawkes Bay forest areas
- Weston, K.S. Cyclone damage patterns in *Pinus caribaea* stands
- White, M. Victoria Forest Park user
- Zinsli, C. The accelerated exposure testing of a tannin bonded particle board: a critical review of experimental design

1987

- Allen, D.G. An analysis of production forestry as a roadside belt
- Blake, I.J. Line versus grapple skidders: a production cost appraisal
- Boyce, J.P. Co-ordinated sawmill production with product consumption
- Brabyn, L.K. Recreational planning - a case for analysing usage and costs
- Caughey, K. Recreational user survey on Whitford Forest (Te Marunga block)
- Cormack, D. Measurement of the forces transmitted through a skidder mainline, when winching
- Duncan, R.P. Regeneration patterns on old farmland in the Mangapurua Valley, Wanganui River
- Fung, L.E. Lime stabilisation of soft rock for use as road basecourse material, Lismore Forest, Wanganui district
- Galilee, J. Regeneration strategies of southern rata (*Metrosideros umbrellata*) in lowland forests, South Westland, New Zealand
- Gilmore, B.R. Management planning for Dawasamu Pine Scheme, Fiji
- Hanley, M. The control of yellow lupin at Woodhill Forest
- Hawinkels, P. Comparison of two felling methods in a semi-mechanised Bell feller-buncher operation
- Jamieson, D.J. Volume of multi-stemmed trees
- King, J. Evaluation of the impact of skifield development on the alpine and subalpine environment, Craigieburn Range
- Kuru, G.A. Long-term yield responses to diammonium phosphate in a *Pinus radiata* stand
- Law, K.R.N. A crown diameter prediction model for Tasmanian Blackwood (*Acacia melanoxylon*) in Northern New Zealand
- Madsen, B. BKF chainsaw winch: its potential in bunching smallwood thinnings

- Morison, R. The effect of climatic disturbance on structure and regeneration of mixed beech (*Nothofagus*) forest, Mount Grey, North Canterbury
- Myers, P. The effect of thinning on branch size of *Pinus radiata* (D.Don) in the central North Island
- Paget, N. A cost/benefit analysis of the use of strip (or multiple) veneer in the manufacture of plywood
- Poulter, C. Evaluation of alternatives to 2,4,5-T applied to gorse
- Robinson, T.D. Pre-tracking for skidder extraction on flat terrain
- Steffert, A.H. The incidence of sweep in *Pinus radiata* on three terrain stability types at Mangatu State Forest
- Stevens, P.M. Fertiliser response in young radiata pine at Tahara Forest, Taupo
- Wakelin, S. Cost-effectiveness of beech-podocarp inventory
- Weir, C. Skidder selection logging: the effects on South Westland terrace rimu forests
- Wood, R.J. An informal survey of tourism in Rotorua - implications for Whakarewarewa forest managers
- Zych, T.R. Control of coniferous wildings by the application of chemicals to the cut stump

1988

- Ashby, H.C. Comparison of a mechanised versus motor-manual processing system in 15-year old radiata thinnings
- Boyack, P. The Oxford recreational hunting area and its value to recreational hunters - an application of the travel cost method
- Broughton, M. Growth and survival of rimu seedlings in a selectively logged terrace rimu forest - South Westland
- Buck, K. A short-term harvest scheduling model for Karioi Forest
- Candish, M. The potential of the People's Republic of China as a market for NZ radiata products
- Candy, M.E. A two-part study investigating a new set of silver beech (*Nothofagus menziesii*) chronologies and six previously established chronologies in the South Island
- Carr, R.M. Water loss from Corsican pine in the Hanmer Springs logyard 01.04.87 - 31.07.87
- Charan, M.K. Mortality and acceptability of 5-year old *Pinus radiata* (D.Don) stands in the central North Island
- Claridge, M.S.D. An investigation of the relationship between the radiata pine branch index and the largest single branch indexing method
- Crawley, D. Solid wood craft utilization and supply prospects for special purpose timbers in Canterbury
- Essenberg, H.C. *Armillaria* root rot on 13-year-old *Pinus radiata* stands in Kaingaroa Forest
- Geerkens, N. Roading network in Bottle Lake Forest: the effect windthrow would have on future access
- Grant, G.A. Wilding Douglas fir in the Queenstown district - a preliminary study of stand density and growth
- Grimwood, J.R. Inventory prior to commercial thinning: a comparison of methods
- Hayes, P.A.J. Boxthorn (*Lycium ferocissimum*) in New Zealand conservation areas: a case study of Mana Island, Wellington
- Hegglun, E.M. A report on the forests of Pukaka Valley, Marlborough
- Herrick, G. Development of performance indicators for Timberlands northern region
- Hill, S.M. Modelling the growth of a small radiata pine plantation in Taranaki
- Hura, J.A. Transportation network analysis for Karioi Forest
- Kincheff, S.J. A pre-harvest forest index
- Naidu, R. Evaluation of pulse against two American alternatives (Frigate and Cidekick II) for the control of gorse (*Ulex europaeus*) using herbicides
- Neal, D.R. Pole houses: a study of material use, residents attitudes, and property values in Christchurch
- Nicholls, A.J. The implications of forestry taxation changes on the small private grower in the Nelson/Golden Bay region
- O'Leary, C.M. A biomechanical analysis of two delimiting techniques
- Sergeant, K. The history of forestry in Canterbury - a comprehensive analysis 1850-1950
- Sim, Cheng Hai. A critical evaluation of the concept of altitudinal vegetation zonation at two slopes near Harihari, South Westland, New Zealand
- Slui, B. Genetic variation in *Podocarpus totara*
- Smith, B.J. An examination into the potential of sugar maple as a commercial tree species in Central Otago
- Stuart, C.R. Compression tests on low density *Pinus radiata* perpendicular to the grain
- Stuart, J.R. Native vegetation associated with plantation forests

- Thompson, C. The conflict between the use and preservation clauses of the National Parks Act 1980 with reference to the Mingha and Deception Valleys, Arthur's Pass National Park
- Tyler, A. The representativeness of the protected natural areas system in Colville and Thames ecological districts of the Coromandel ecological region
- Walsh, B. Matai and Miro of Mount Algidus
- Watson, M.K. Thinning yield and residual crop consequences in Radiata pine in Kaingaroa Forest
- Wilson, C.H. A hydrologic comparison of two catchments highly responsive to storm flow
- Woods, N.G. A method of predicting mean internode index on the improved breeds of *P. radiata* for use in STANPACK V2

1989

- Armstrong, W. Future directions in land-use planning and their application to forestry: conflict resolution in the Canterbury high country
- Batkin, A.W. Road edge effect on volume yield of radiata pine
- Bracefield, S. Soil respiration in an agroforestry system: an insight into competition, and spatial respiration patterns under conditions of moisture stress
- Cleaver, Z.W. An assessment of value loss due to sub-optimal bucking procedures and stem breakage on extraction using A.V.I.S.
- Dixon, G. Provenance and family variation in Wandoo
- Foster, R.J. The effect of nursery spacing and root collar diameter of Douglas fir on establishment in the field
- Gebbie, E. Development of a local function to predict diameter over stubs in pruned stands of radiata pine in Lake Taupo Forest
- Guild, B. The physiological cost of two delimiting techniques
- Holden, P.D. Future forestry employment and recruitment requirements in the Bay of Plenty for the period 1989-90 to 1993-94
- Houston, P.A. Root relationships in radiata pine - growing with and without pasture
- Jacyna, R.M. Urban forestry in Central Otago
- Kempe, S. Some factors affecting the method of pollen application in a meadow orchard
- Logan, J.B.K. Crop consequences from specified thinning of radiata pine in Lake Taupo Forest
- Lynch, G. Impact of external defects on radiata pine plantations in mid-Canterbury
- McLarin, M.L. Thinning response of Douglas fir in Ashley Forest
- McLauchlan, R.J. The effect of different storage treatments on the fructose levels of *Cordyline australis*
- Mathers, E.B. Gibberellic acid treatment to increase flowering in *Pinus radiata*
- Piebenga, I. Quantifying breakage in felled radiata pine
- Rust, B. Time study on a Madill 071 hauler in Tairua Forest
- Ruston, S.C. Weibull diameter distributions: development of predictive equations used with program PROD for Auckland clay forests
- Struthers, R.P. An assessment of skid site processing losses in a managed stand, Woodhill Forest
- Thomson, P.S. Assessing pruned log quality: a preliminary comparison of methods
- Wheeler, B.J. A look at attitudes and responses of the cycle tourist to the forest walks of the West Coast
- Whittle, C.A. Thinning realisation ratio for Kinleith Forest
- Williams, G.A. Wander factor for rubber-tyred skidders
- Wrathall, S.H. Cyclone Bola and Waitahanui Forest: a study in catastrophic wind damage

1990

- Blackmore, W.J. Suitability of the Pilodyn Wood Tester as a Prediction of BWD in *Populus deltoides*
- Brandt, F. A Study of Selected Forecasts Made in the History of Forestry in New Zealand
- Buys, H. Tree Willows for Saline Soils: An Evaluation of the Relative Salt Tolerances of 10 Selected Tree Willow Clones
- Cogle, G. An Investigation of the Marketing of Sawn Timber by Distribution Outlets in Christchurch
- Dodd, M. Reducing Transport Costs Through Truck Scheduling with the Aid of a Linear Programme
- Dodson, G.A. Optimising Roding and Landing Intensity to Maximise Overall Forest Value
- Donaldson, B. The Future of Meadow Orchards at Amberley - Are They a Viable Option/ What Methods Should be Used.
- Dunn, R.J. Vegetation Dynamics after Catastrophic Rockfalls in the Pororari River

- Elers, L. Bounded Plots versus Point Plots: A Study on the Efficiencies of Two Sampling Methods for a Preharvest MARVL Inventory
- Jacobs, D.T. Feral Goats on Banks Peninsula- a Comparative Survey and Assessment of the Impact on Indigenous Vegetation
- Jensen, P. Mechanical Availability, Utilisation and Productivity in a Mechanised Clearfelling Operation
- Jones, P. Comparison of Methods: Post-Pruning Assessment of Quality Control and Stand Data Collection
- McGlinchy, A. Post-Fire Regeneration in Lowland Coastal Mixed Podocarp-Kamahi Forest, Truman Track, Westland
- Maunder, C. Fallow Deer Density Patterns in Te Tapui and Te Miro Scenic Reserves: Implications for Future Management
- Oh Cheow Sheng. To Assess the Health of Weeping Willows along the Lower Heathcote River, Christchurch, Following Seawater Intrusion
- Robinson, L.M. Work Content Variations Between Old Crop and Transition Crop in *Pinus radiata*
- Stark, R. Considerations for the Use of Intermediate Supports, in Skyline Logging
- Webb, J.A. The Role of the Common Brushtail Possum (*Trichosurus vulpecula*) in the Dieback of Northern Rata (*Metrosideros robusta*) in Paparoa National Park, Westland
- White, D. An Examination of *Eucalyptus globulus* (Tasmanian Blue Gum) Susceptibility to Insect Defoliation
- Wybourne, M. Buttlog Waste Study - Auckland District Forests

1991

- Chandler, N.B. Volume and Taper Functions for Matahina and Tarawera Forests
- Crawshaw, J.J. A Model for the Prediction of Branch Index in Eyrewell and Omihi Forests
- Dickinson, P.D. Development of Slasher and Chainsaw Scrubcutting Time Standards for Reverted Farmland in the Valdivia Region
- Krippner, R.J. Gains from 850 Seed Orchard Plantings in Kaingaroa Forest
- Lancaster, B.P. Optimising Bunch Size for a Feller-Director/Grapple Skidder System
- Lave, T. Development of Diameter over Stubs Model in Pruned Radiata Stand in Ashley Forest
- Mann, D.B. Changes in Riparian Vegetation after Clearfelling
- Nicol, M.J. Stratification of Mahurangi Forest Auckland for Wood Supply Planning
- Schaffer, W.L. The Japanese Distribution System; Implications and Strategies for Sawn Radiata Exporters
- Self, N.M. Intensive Site Preparation to Control *Armillaria* in *Pinus radiata* (D. Don) Following Plantation Crops with High Levels of Infection
- Smith, M.F. Compatible Tree Volume and Stem Taper Model for 22 Year Old *Pinus radiata* (D. Don) Sample Trees in Eyrewell Forest

1992

- Du Burgess, F.F. The effects of thinning on branch cross sectional area and branch diameter distributions in 9-year old radiata pine in Mangakahia Forest, Northland
- Dunn, D.M. A preliminary assessment of the Metriguard Model 239A Stress Wave Timer
- Elliott, B.S. An LP wood allocation model for Golden Downs Forest using Beeline
- Forward, M.G. A dendroecological study: an assessment of the growth responses of *Nothofagus solandri* to increased atmospheric CO₂ levels
- Grieve, A.S. The Japanese coniferous plantation forest: its potential harvest of sawlogs and factors that are likely to influence this
- Hovell, H.S.W. Environmental factors and growth of even aged *Pinus radiata* stands
- McInnes, I.P. Relative performance of three growth and yield models for radiata pine in Kinleith Forest
- Paul, D.J. An evaluation of a three-dimensional log volume equation for radiata pine sawlogs from Tarawera and Matahina Forests
- Preece, M.D. The effect of a late thinning operation on tree and branch characteristics of *Pinus radiata* (D. Don) in the Central North Island
- Rogers, P.J. Natural regeneration patterns on overburden piles at the Stockton opencast coal mine
- Seymour, D.J. The cost effectiveness of a proposed alternative route compared to the present route for log transport out of Mohaka Forest to Carter Oji Kokusaku Pan Pacific Ltd, pulpmill and sawmill at Whirinaki, Napier
- Smart, P.J. A volume and taper function for *Eucalyptus fastigata* in the Central North Island of New Zealand

- Stehbens, P.M. A provenance, seed source and progeny trial of *Acacia melanoxylon* R. Br. in the North Island of New Zealand, eight years from planting
- Strang, M.M. Temporal variation in value recovery from clearfell logging operations
- Wakelin, M.D. The effect of late thinning on the log grade recovery of *Pinus radiata* (D. Don) in Kinleith Forest
- Whitley, B.W. An assessment of the Psion Organiser II and its application in forestry for the recording of data from sample plots
- Wright, S.L. A productivity analysis of a modified Bell Static Delimber and Bell Ultra Logger in a small piece-sized minor species

1993

- Aiken, C. Probable limits of error in post-pruning assessments at Kaingaroa Forest
- Barber, J. Assessment of exchangeable nutrient contents and water holding capacity of comparative potting mixes for indigenous seedlings
- Bray, S. The Christchurch street tree forest: a comprehensive look at the street trees in Christchurch City
- Bullivant, G.B. Prediction of branch size for *Pinus radiata* (D. Don) on the Nelson Moutere gravels
- Downs, S.D. Slash distribution relative to harvesting method - a study of *Pinus radiata* (D. Don) cutovers in Kaingaroa Forest
- Ford, C. Regeneration of similar aged *Nothofagus* stands over a range of sites in North Westland, New Zealand
- Gaddum, G. An evaluation of radio controlled chokers - their development history, present use, and future potential in New Zealand cable harvesting operations
- Kingsbury, V. Effect of vegetation, competition and fertilizer on plant and soil water availability in Eyrewell Forest
- Maclean, C. An investigation of rooting impediments within the Taupo pumice formation in Kaingaroa Forest
- Malcolm, A.N. *Ileostylus micranthus* at 3 Mile Lagoon, Westland New Zealand: population structure and density, and the implications for conservation
- McClintock, S.L. An evaluation of the Log-maker Training Programme at Carter Holt Harvey Forests Ltd, Kinleith region
- McIntosh, E. Environmental marketing: an analysis of the concept
- Powrie, J. Second log branch diameter: issues for radiata pine management in Hawkes Bay forests
- Shearman, W. Glade forestry - an agroforestry option for the Canterbury high country
- Te Morenga, L. An examination of croptyping in forest estate modelling
- Van Wijk, P. Species richness within Tarawera/Matahina plantation forests

1994

- Andrews, P.W. Emissions from domestic woodburners in Christchurch 1994: the problem, the cause and possible solutions
- Arnold, D.R. PlotInfo: a system to store, manipulate and retrieve forest inventory data through the Geographic Information System MapInfo
- Bates, S. Loading logs: a look at rubber-tyred front-end loaders, excavator based hydraulic knuckle-boom loaders and a Bell ultra logger
- Blakie, A. Validation of the EARLY growth model for scheduling first and second lift pruning operations within Kinleith Forest
- Brady, P.A. Gravel depth as a covariate in the analysis of the agroforestry trial at Lincoln
- Carlisle, S. The effect of site preparation and weed control on the growth of *Pinus radiata* (D. Don)
- Cherry, R. The suitability of ASICAM for New Zealand application
- Cutfield, A.M. Stem optimisation using PC-AVIS in a mechanised processing operation at Whangapoua forest, Coromandel, New Zealand
- Dungan, R. The light environment within large open-topped experimental growth chambers and its implications for plant growth
- Ellis, R. Predicting the fine fuel moisture content in gorse
- Estcourt, M. Boron deficiency in radiata pine plantations of New Zealand
- Hewson, K.I. Diagenesis of buried soils in a high leaching regime, Wanganui Forest, South Westland
- Hindley, S. An evaluation of the benefits resulting from the installation of new set works on a breast bench saw
- Kingsford, N. Variation associated with natural regeneration following clearfelling at Mangatu forest, Gisborne

- Larcombe, R. Productive assessment of container growing media for *Eucalyptus nitens* and Douglas fir: at Edendale Nursery, Southland
- MacDonald, R. Quantifying the fine fuels in Kinleith forest: a preliminary investigation
- Orchard, R.M. Oversowing: a study of the percentage strike rate for different cutover ages in Northern Kaingaroa forest
- Pannell, M. Changes in growth rates of Rimu (*Dacrydium cupressinum* - Lamb.) in response to forest edges created by coupe logging, South Westland
- Richards, H.W. Machine assisted tree felling: development of time standards for 'edge' trees
- Scott, E.A. Quality certification for forestry contractors
- Sloggett, J. Wood density study for Carter Holt Harvey's Nelson region forest
- Stubbs, I. A preliminary analysis of the variation in the volume (JAS)/green weight ratio of *Pinus radiata* (D. Don) logs, southern North Island region
- Thode, D. An evaluation of AVIS as a practical log-making tool for Carter Holt Harvey Forests Ltd, Kinleith region
- Turner, H.W. The properties of clearwood from internodal logs of radiata pine: variations in strength and stiffness from pith to bark
- Turner, J. Quantification of genetic gains in the growth of *Pinus radiata* from "850" seed orchards, Central North Island, New Zealand
- Wainiqolo, I. A comparison of inventory log grade predictions for mahogany plantations in the Southern Division of Fiji
- Watt, P. The economic viability of pruning *Pinus radiata* (D. Don) to nine metres in the Ngaumu forest region
- Wells, A. Predicting the growth of young stands of radiata pine from site factors: an initial investigation in the Bay of Plenty region
- Yeoman, S. A volume and value recovery study in forest harvesting: mechanised vs motor-manual felling

1995

- Bedford, R.E. Seed production in *Pinus radiata* D. Don: impact of climate and site on numbers of emergent female strobili
- Bell, M.F. The threat of old man's beard (*Clematis vitalba* L.) on the plantation forest of Hira, Nelson
- Bennett, J. A comparative study of cycle time elements of four cable logging rigging systems
- Buchanan, G.C. A study of the factors affecting skidder productivity
- Cadman, A.L. Pruned stand certification: evaluation of sampling methodology and proposals for improvement
- Cochrane, A.G. Regeneration of Rimu in similar aged podocarp forest following recent hauling and skidding operations in North Westland, New Zealand
- Crang, J.D. An investigation into the relative products of the Three Dimensional Log Volume formulae for logs from the Glenbervie Forest
- Dewes, T.K.M. Investigation into the use of stand growth and post pruning assessment data to replace pre-production thinning MARVL
- Ellis, S.W. A preliminary investigation of the viability of oversowing: a Kinleith Forest study
- Faherty, J.G. The effects of common forest weeds on light availability and growth of *Pinus radiata* in Eyrewell Forest, Canterbury
- Falloon, J.D.B. Two staging, using a cable skidder, in a semi-mechanised cable logging operation
- Gaddum, D.T. An economic evaluation into the utilisation of alternative sources of aggregate suitable for forest roading on the East Coast
- Harris, D. The effect of specific weeds on soil Mg and soil chemical properties under radiata pine in Eyrewell Forest, Canterbury, New Zealand
- Haywood, A. The size and distribution of branches in the second log of *Pinus radiata* in Kinleith Forest, central North Island of New Zealand
- Iremonger, S.E. Quantification of *Pinus radiata* branch internode variation: a Kaingaroa Forest study
- Jowett, R.K. Measurement of factors affecting rough sawn aim size in Carter Holt Harvey's Nelson sawmill
- Kennedy, C.W. Evaluation of a circular blade portable sawmill operating in Canterbury
- Larsen, T.K. The valuation of young (<10 years old) stands of *Pinus radiata* for production purposes
- Leslie, G.S. Landsat™ image classification of forest cover in the Marlborough District - a comparison with the National Exotic Forest Description (1994) and Ministry of Forestry Digital Map (1992)
- Lovell, R.J. Effect of chemical applications on *Pinus radiata* planted into pasture
- MacPherson, S.J.G. A strategic marketing plan for Rayonier New Zealand, Wellington region

- Nicholls, S.M.
O'Meara, D.M.
Robinson, A.G. Extraction options for the sustainable management of indigenous forests
A comparison of soil fertility under *Pinus radiata* and pasture in Southland
Validation and development of diameter over stubs models: a Nelson/Marlborough study
- Sage, J.E.
Saunders, D.A.P. An investigation into the Kinleith region - Water Clarity Monitoring Programme
A comparative study of the costs and benefits involved with transporting harvested material from the Pakuratahi Forest by road and rail
- Sheppard, D.M. The effects of fertiliser, irrigation and oversowing upon *Pinus radiata* seedlings at the Ryewell Forest Co-op trial
- Strahan, I.S. Quantifying surface fuels in Kinleith Forest: an investigation into the effect of silviculture in 5-year-old *Pinus radiata* stands
- Stuckey, S.G. The effects of tree shelters in *Pinus radiata* seedlings
- Tabukovu, M. Population impact on a natural forest on a Fijian tribal land
- Temple, S.D. Breakage in *Pinus radiata* during felling and extraction: a 1995 study of forests in Westland
- Treadwell, J.B.L. A Grassland Curing Index: creating a model to estimate the percentage of grassland curing
- Wallwork, C.J. An investigation of stability pruning: effects on toppling, the effects on growth, and economic viability
- Warn, M.J. Indicative study of early Eucalypt *E. fastigata* and *E. nitens* growth (height) in response to aspect and position on slope at Omataroa Forest
- Watt, M.S. Wood density study

1996

- Aitcheson, D. Public use of Naseby Forest: a methodology for estimating a non-market value of user benefits
- Anderson, S. Comparing the cost-effectiveness of the Forestor Vertex Hypsometer with the Suunto Clinometer for tree height measurement
- Bannan, J. A comparison of two selection methods for waste thinning radiata pine in Te Wera Forest
- Beech, J. Oversowing on sands. An investigation into growth benefits at Woodhill Forest: preliminary results
- Bell, G. Valuation of farm woodlots: a case study
- Broad, R. Strategy development for paternal parent integrity using liquid pollination technology
- Brown, J.M.R. Excavator bunchings effect on skidder performance
- Davidson, S. The effect of aspect on the regeneration of native woody species through gorse (*Ulex europaeus*) on Banks Peninsula
- Dallas, M.S. The relationship between compression wood, ellipticity, and bolt ovality in selected radiata pine peeler bolts
- Derks, D.J. Spatial variation in soil organic horizon pH beneath podocarp forest in South Westland
- Dreyer, M. A trial of the multi life ladder in Kinleith Forest
- Evans, R. Processing options based on conversion rates and product margins for a central North Island sawmill
- Fitzgerald, H. An investigation into cable hauling production delays in New Zealand
- French, A.M. The effects of tree shelters in *Pinus radiata* seedlings
- Gray, J.C. An analysis of initial stocking sampling techniques
- Hewett, P.J. Validation of the initial growth model for the central North Island of New Zealand
- Howe, R. An assessment of health and safety measures in two New Zealand forestry companies since the Health & Safety in Employment Act 1992
- Kinder, E. A report of the nutrient status and competition effects in an agroforestry trial
- Marshall, S. An investigation of stability pruning: the effects of toppling the effects on growth, and the economic viability
- Mawson, P. A cost comparison and time study of seven different instruments for the measurement of upper stem diameters.
- McClunie, W. Growth rate of hard beech in Granville Forest compared by landform and diameter
- McFetridge, P. A factorial re-establishment trial involving cultivation, weed control and fertilisation and the effects on crop performance
- McMiken, C. An analysis of a pre-harvest inventory system
- Milbank, R. A tree volume, taper and breakage function validation for the Rabbit Island Forest, Nelson

- Mitchell, T.A. The influence of sample geometry on the stiffness and crushing strength of clearwood samples in compression parallel to the grain
- Peters, D.R. Total soil respiration under pasture and *Pinus radiata* on a sub-humid temperate agroforestry site
- Pope, B.L. Environmental and physiological factors related to the plant moisture stress of *Pinus radiata* cuttings
- Rapley, S. A geographical information system for estimating eucalypt species forestry suitability for the Southland and Otago regions
- Reese, S. Solving the environmental problem: a critique of New Zealand's economic goals and customs
- Rogers, K. Visual effects of pine forest management
- Sandrey, S.L. Indicative study comparing oversowing mixtures to determine which is the most effective in terms of total ground coverage for Omataroa soil types and the effect that slope and aspect have on this
- Schipper, F. Biodiversity and community structure in *Pinus radiata* (D. Don) plantations in central North Island
- Scott, N.J. Windthrow mortality in the strip-system at Eyrewell Forest: a comparison with a standard block forest layout at Balmoral, from 1994 and 1996 aerial photographs
- Sherratt, R. Use of image analysis in determining branch component weights of 2-year old *Pinus radiata*
- Sleigh, J. An investigation into the incidence of spiral grain and its relationship to compression wood in selected peeler cores from two separate forests
- Souness, J. Understorey species composition patterns in *Pinus radiata* at Kaingaroa Forest, New Zealand
- Tatupu, F.I. The impact of the Cyclones Ofa and Val on the forestry sector of Western Samoa
- Tse, R. The market potential for a pine bark chemical compound
- Walker, S. An investigation into the comparative change in log value after regrading at a post-skid processing yard
- Wealleans, K. A comparison of accuracy between log length measurements of mechanised and motor manual log making systems
- Weston, R. Barriers to trade with Japan in New Zealand glulam
- White, C. A comparison of the accuracy and precision of commercially available instruments for measuring upper stem diameter over stubs (DOS)
- Winthrop, L. Small forest owner awareness of legislation affecting forestry activities in the Timaru district
- Witehira, D. The development of relative "economic weights" using STANDPAK

1997

- Amatus, P. Plant enumeration survey on Nissan Island, North Solomons Province, Papua New Guinea
- Armstrong, K. What values do contemporary Maori place on New Zealand's indigenous forests?
- Arnold, R. Changes in the vegetation pattern of the Hoon Hay Valley since 1941
- Caesar, A. Extrinsic influences on tree growth - the effects of wind and physical supports on genetically cloned *Pinus radiata* (D. Don) plants
- Croft, M. Douglas-fir: sapwood area/green crown length relationship and green crown efficiency
- Crowe, P. Assessment of the relative benefits of wood and concrete poles within the marine, power supply and construction industries
- Currie, L. In the restoration plantings at Riccarton Bush, are some planted species, or species combinations, better nurses for regeneration than other species and what are the features that characterise these species?
- Dysart, G. Value Recovery through the use of feller bunchers to achieve low stump heights: a comparison of stump heights achieved among manual and mechanised felling techniques
- Enright, S. Prediction of internodal material for *Pinus radiata* in Kinleith Forest, Central North Island, New Zealand
- Farrar, T. A comparison of damage caused to the surface of logs from two different feed rollers in a mechanised processing head
- Fearon, S. The effects of stocking on height and diameter in a Nelder trial of two Eucalypt species
- Gale, S. An assessment of the response of *Cupressus macrocarpa* to pruning and thinning in Otago Coast Forest

- Gardner, R. A comparison of soil seed banks under closed-canopy rain forest and in cultivator-induced gaps
- Halleux, O. Mechanical and chemical methods of increasing reproductive outputs of *Pinus radiata*
- Hercus, C. Residual value analysis to determine rotation length of *Pinus radiata* (D. Don)
- Hill, M. Beyond 2000: a broad based industry direction for exporting New Zealand radiata sawn timber
- Hodgkinson, K. How effective is the selection of final crop trees during the thinning to waste of *Pinus radiata* /
- Kay, P. The effects of increasing atmospheric carbon dioxide on photosynthesis and plant growth in New Zealand forests: an overview
- Kemp, W. A study comparing preferences to best management practices versus prescribed policy regarding riparian management in the Otago region
- Leary, B. A break-even analysis of different logging truck configurations for a proposed forestry road
- Lovell, S. A study of irrigation in early spring and summer on the effects on seed yield and flower production in a control pollinated meadow orchard
- MacKenzie, M. A study of farmers' attitudes towards forestry in inland Marlborough
- Maddigan, F. Concept plan for the revegetation and restoration of indigenous flora within the Mount Cook Village environment, Mount Cook National Park, New Zealand
- McGregor, H. How and why do the perceptions of forestry on farmland differ between farm foresters and graziers in New Zealand?
- Meason, D. Woodhill Forest: a case study of recreation in a commercial plantation forest and associated perceptions
- Muir, V. Variations of wood density in the Gowan Hill silver beech forest
- Myers, T. A comparison of bounded circular and bounded transect plots on their estimates of recoverable volume by log grades
- Newton, B. Comparison of productivity and cost for two different ground-based systems in the central North Island
- Ogle, B. An investigation into the effects of roading and harvesting on water clarity in the Motueka Forest, Nelson, New Zealand
- Phillips, R. Coastal lowland mixed podocarp/kamahi forest regeneration. An investigation in application for erosion control
- Pink, N. The effect of log size on grade recovery of *Eucalyptus obliqua*
- Robinson, J. The effects of site specific factors on the wood quality of two Leyland cypress (x *Cupressocyparis leylandii*) clones, Leighton Green and Haggerston Grey
- Rolls, S. Heartwood formation in 12 year old cypresses at Gwavas Forest
- Rotarangi, A. Indicative study of early *Pinus radiata* (D. Don) diameter and height growth in response to the application of Carter Holt Harvey Tissue Paper Mill residual fibre
- Scott, J. The effect of a safety pruning harness on internal rates of return
- Shields, C. Sustainable management versus reservation - the suitability of 'SILNA' forest blocks
- Shingleton, A. Agar germination vs biological oxygen demand. A comparison of two *in vitro* pollen viability tests for *Pinus radiata* D. Don
- Sinnock, J. The impact of fragmentation through urban development on native forest in the Otatara district, Invercargill, 1946-1996
- Skilton, D. Appropriate silviculture and regulation for the uneven-aged management of Douglas-fir on the West Coast of New Zealand's South Island
- Spiers, R. Investigation into the strength of 10 metre roundwood poles from Kaingaroa and the use of the Pilodyn to estimate their density and strength
- Stuart, R. An experimental cultivation rig trial at Eyrewell Forest involving weed control, fertilisation and cultivation: the effects on radiata pine at mid-rotation
- Syme, E. Increasing the efficiency of project ranking for Conservation Management
- Taylor, M. Comparison of above and below ground biomass for 2 year old *Pinus radiata* trees, Canterbury
- Taylor, S. The competitive benchmarking of costs in the manufacture of finger-jointed products
- Thorns, J. A nutritional survey of Pokororo Forest, Motueka, Nelson
- Ti'iti'i, F. Current watershed conditions and future management needs of catchments in Samoa
- Welsh, S. The promotion of male strobili production in *Pinus radiata*
- Wright, S. A thinning trial in terrace rimu forest, South Westland

- Allen, S. Comparison of growth and form of different *Pinus radiata* genetic stock
- Anderson, S. A study of accuracy and precision for a digital rangefinder in the measurement of certain tree characteristics
- Barker, J. The properties of in-grade *Pinus radiata* timber from peeler cores
- Berrill, J-P. Assessing residual stand damage from selection harvests
- Blandford, M. Values influencing forest management decisions for SILNA owners
- Bonner, G. The New Zealand driftwood resource: an initiatory research case study on the volumes, values, and policies
- Borger, B. Population dynamics, stand structure and species composition of a silver beech (*Nothofagus menziesii*) forest, Southland, New Zealand
- Chalmers, S.K. Comparison of harvest revenue and rotation lengths by MARVL and PLI data
- Devane, S. A pruning time study of *Cupressus macrocarpa*
- Emanuel, T.R.M. An economic evaluation of the potential manufacture of charcoal from the beech forest lands in western Southland, allocated under the South Island Landless Natives Act 1906
- Frew, C. A survey of selected East Coast 'Farm Forestry Associations' branches and their members to determine the effect on exotic trees of the 1997/98 summer drought
- Garden, E.A. Incidence of resin pockets in the Fletcher Challenge Forest central North island resource and possible causal factors
- Gibbons, C. influence of edge condition on weed invasion of native forest in the Maungakotukutuku Valley
- Gifford, A. A study on the causal effects of slope, overstorey canopy cover and ground fern cover on the existing understorey vegetation at the Rowallan/Alton silver beech forest
- Hale, R. Estimation of design peak discharge for central North Island volcanic pumice soil catchments
- Hart, W.G. Reassessment of the *Nothofagus* provenance trial in Rangiora
- Hearnshaw, E. The Forest Stewardship Council and the international Organization of Standardization forest certification principles: which criteria will result in the more ecologically sustainable system for the New Zealand forest industry?
- Herries, D. An insight into the effect of exotic plantations and pasture on vegetative composition within indigenous forest edges
- Hodgson, J. Height and diameter growth differences in 7-year old *Pinus radiata* (D. Don) attributable to differing GF ratings and stockings
- Jobbins, M. An investigation into the quality of service provided to furniture and joinery manufacturers by building supply outlets: a comparison of April 1 1988 to March 1 1988
- Johanson, D. Variation in density of branches with branch size in *Cupressus macrocarpa* clones
- Keen, N. The size, frequency and distribution of *Pinus radiata* branches within New Zealand
- Kelly, G.J. Cost-effectiveness of treatments for erosion control on fill slopes of forest roads and landings, Glenbervie Forest, Northland
- King, K.S. Resource Management Act 1991, land use consent procedure problems: case studies from two territorial authorities
- Lane, J. An investigation of branch dynamics in the Karioi Forest
- Marshall, H.D. A study of rainfall interception in two different aged stands of *pseudotsuga menziesii* (Douglas-fir)
- Metcalfe, H. Diameter interchange in pruned stands of *Pinus radiata*(D. Don)
- Millar, R.D. A study of *Pinus radiata* silvicultural regimes and their appropriateness for the Marlborough Sounds region
- Musson, M. The effects of cannabis use by forestry workers on workplace accidents
- Sellar, T. The diet of brushtail possums (*Trichosurus vulpecula*) in a recently invaded mixed podocarp-hardwood forest, Waitutu, Southland
- Simpson, B. modelling heartwood formation in *Cupressus macrocarpa* and *Cupressus lusitanica*
- Thompson, R.P. The sorting of radiata pine (*pinus radiata* D. Don) peeler cores using a stress wave timer
- Walters, B.J. Regime development for the production of log house logs from *Pinus radiata* (D. Don)
- Wayman, J.P. The effects of croptyping according to age class aggregation levels on harvest scheduling in a slash pine forest in Northern Florida
- Youngman, N.D. To identify the zones of day and night root elongation in *Pinus radiata*
- Yule, N.J. Modelling occlusion scars in *Pinus radiata*

- Andrew, S.D.
Benny, T. Farm Forestry: Analysis of New Zealand Farm Forestry Association Survey
The environmental effects on the (relative) abundance of understorey species in the Gowan Hills Silver Beech (*Nothofagus menziesii*) Forest
- Brown, R. Mainland island treatment and non-treatment areas: avegetation comparison based {on} the Rotoiti Nature Recovery Project
- Charles, A.R.
Chisholm, S. Slicing – the possibilities of kerfless cutting radiata pine
Growth of young *Eucalyptus nitens* in response to variation in site and environmental factors in the Taupo/Bay of Plenty region, New Zealand
- Court, S.A. A critique of the East Coast Forestry Project
- Fagan, J. Moisture content comparisons of pine and gorse litter and elevated gorse material
- Goodwin, C. The effects of APEC tariff reductions on New Zealand MDF trade with South Korea
- Hermanson, A.J. The effects of fire and grazing on coastal kanuka at Thornton, Eastern Bay of Plenty
- Hume, T. Timber harvesting and riparian management: a study of visual perceptions
- Jackson, T. Conceptual plan for the restoration of Terawhiti Station
- Moore, N.J. Tracheid length variation in *Pinus radiata* seedlings
- O'Brien, J. Effects of shelterbelts on pasture production in the Canterbury region
- Say, W.C. Natural mechanical damage in silver beech forest
- Smith, K. Regeneration in natural and single-tree selection logging gaps in Okarito Forest
- Van Eyndhoven, E. *Pittosporum patulum*; habitat characteristics, population structure, and regeneration strategy

2000

- Gerdes, B. Mountain beech (*Nothofagus solandri*) seedling distribution in pit and mound microtopography in the Craigieburn Range
- Gunn, A. Identification of variations in branch diameter and branch angle, between two breeds of *Pinus radiata*, established at two different stockings
- Heagney, K. A comparison of branching habit between three different clones of *Pinus radiata*
- Johnson, T. A study of contributing factors towards felling lost time injuries
- Leov, M. A study investigating the factors contributing to musculoskeletal injuries in harvesting and silvicultural operations
- Lyon, C. The economic viability of woodlot logging contractors
- McKinlay, C. Remeasurement of permanent vegetation quadrats, Isolated Hill Scenic Reserve, southern Marlborough
- Parsons, G. Factors affecting the productivity of the Timbertech log caliper at a full-stem processing yard
- Payne, G. Evaluation of GIS in modelling the spread of *Armillaria* root disease in the Botanical Gardens
- Wilkins, L. The management implications of *Peraxilla colensoi* abundance between habitat and disturbance areas at Beaumont Bush, Southland
- Wilson, M. A study on the longer term effects of fertiliser on the Mangatangi experimental kauri trials

2001

- Carney, K.M. The economic feasibility of growing American Ginseng under radiata pine plantations in Corrland Central Plateau Forest Estate
- Dickson, A. The invasion of Douglas-fir (*Pseudotsuga menziesii*) into Mountain Beech (*Nothofagus solandri* var. *cliffortioides*) forest on Burnt Face, Craigieburn Conservation Park
- Egan, J. The correlation between indigenous forest cover and agricultural policy changes from 1941-2001 in Kaituna Valley, Banks Peninsula
- Geard, B. Comparison of the growth rate, form, branching characteristics, health and wood characteristics of seedlings and clones of *Cupressus macrocarpa* and *Cupressus lusitanica*
- Guy, J. Comparison of the effects of different tree species no the accuracy of the GeoExplorer 3 and Garmin GPS III plus receivers
- Mills, A.G. A study on the effect of canopy on the accuracy of GPS receivers under different age classes of *Pinus radiata*
- O'Leary, M.J. An economic comparison of *Pinus radiata* and *Pseudotsuga menziesii* at a high altitude site in the central North Island

- Piper, S.W. Under reporting of near hit incidents in the harvesting and engineering sectors of the forestry industry. An insight into the magnitude of, and reasons behind, the problem
- Van Enter, M. Residual stand damage from single tree selection harvests in a silver beech (*Nothofagus menziesii*) forest
- Whiteley, Y.J. Wind damage to Canterbury plantation forests caused by the October 12 2000 storm

2002

- Bennett, M. The analysis of the preliminary results obtained from the Otago Coast Windthrow Experiment
- Foster, S. The development and utilisation of a GIS based culvert management system for Selwyn Plantation Board Ltd
- Gee, R. The effects of stocking on growth characteristics
- Snook, J. The effect of the proposed Central Plains water enhancement scheme on forestry transport costs in Canterbury, New Zealand: a transportation network analysis using GIS

2003

- Dickinson, Y. Ecological management planning of native plants on plantation forest estates
- Kerr, J. The effects of roadside pruning on forest road strength
- McConnon, H. The effect of provenance on bark thickness of Douglas-fir
- Schionning, M. A study of how two final crop stockings of *Pinus nigra* var. *laricio* (Corsican pine) in the South Island high country compare relevant to current worth in the New Zealand roundwood (post/pole) market
- Shattock, P. The development and evaluation of tactical planning models within a spreadsheet environment
- Wedding, A. Evaluation of non-destructive rapid screening methods for MOE of sanding *Pseudotsuga menziesii* trees

2004

- Bosman, M. The analysis of New Zealand log price trends
- Brown, T. The movement and habitat utilisation of red deer (*Cervus elaphus scoticus*) in the Canterbury high country
- Cain, J. The ecology and status of *Carmichaelia torulosa*, the 'Canterbury Pink Broom'
- Fortune, A.L. Regional pest management strategies in New Zealand
- Giles-Hansen, K. The viability of Broom (*Cytisus scoparius*) seed after passage through wild Quail
- Leahy, E. Distributions of maximum branch diameter for *Pinus radiata* in two Northland thinning experiments, New Zealand
- Waugh, G. The effect of wind on outerwood stiffness using TreeTap acoustic tool

2005

- Bradley, C. Vegetation changes in the Te Oka and Tumbledown Valleys, Banks Peninsula from 1984-2005, and the accuracy of using GIS aerial photograph categorisation in identifying vegetation types
- Gloyn, T. Development and comparison of log grade predictor functions for *Eucalyptus nitens* in Southland and Taupo
- Keenan, S. Factors influencing the location of Cannabis crops cultivated within the Central North Island
- Mansell, J. Estimation of diameter at breast height from diameter at stump height for four New Zealand indigenous tree species
- Neylon, S. The use of the *Optigrade* system to objectively measure road roughness of an unsealed road network
- Nicholls, K. The main perspectives of stakeholders that drive policy development for the use of chemicals in wood-based products in key foreign markets
- Scarlett, S. Incidence of *Dothistroma pini* in central North Island forests managed by KTMML
- Tolan, A. Documentation and analysis of catastrophic wind damage in the Nelson region following the storm of October 14th 2004
- Toulmin, M. The development of a sampling strategy for measuring acoustic velocity in standing radiata pine using the TreeTap Time of Flight tool
- Watts, M. Improved stand-level volume functions for Douglas-fir

Wilson, D. A comparison between Site Index and 300 Index: comparison between using Site Index and 300 Index as forestry productivity measures

2006

Bayley, M.W.
D'Ath, R. Predicting rural fire in New Zealand using the Fire Weather Index
Modelling the effects of stand structural, edaphic and climatic variables on tracheid length in *Pinus radiata*

Soutar, J. The effects of biosolids on *Pinus radiata* wood quality, foliage and tree volume in Canterbury

Warren, E. The effect of stocking on stiffness for three *Eucalyptus* species in the Coffs Harbour district, New South Wales

Wignall, G. A clonal forestry trial looking at improving canker resistance within *Cupressus macrocarpa*

2007

Bowen, G.A.
Burnett, S. The effect of thinning age on stiffness in *Pinus radiata*, in Omataroa Forest
Historical drought occurrence and duration, and its potential implications on forest fires in Nelson, Kaikoura and Christchurch

Coulmann, M.
McCallum, D.J. Validation and revision of CanSPBL_HILLS growth and yield model
The influence of wind exposure on *Pinus radiata* wood quality, tree form, and value, in Nelson and Marlborough, New Zealand

McEwan, M.K.
Rose, K. Exploring the relationship between fire danger and fire occurrence
Analyses of shift pattern effects on productivity and value at the Kaingaroa Processing Plant (KPP)

2008

Coles, R. The initial stages of native forest regeneration under mature seral *Kunzea ericoides* stands

Cooper, B.R. Impact of the "Workplace Safety Management Practices" programme in the logging industry

Crone, T. The effects of an autumn application of herbicides on redwood seedlings

Dowling, L. The effect of log price distributions on forest value: a method to include harvest option value in forest valuations

Haddon, S. Habitat utilisation by GPS-collared sheep, Otematata Station, New Zealand

Marshall, W. Ensuring a stem acoustic velocity reading can be used as a cut off to ensure structural logs will meet mill requirements

Orton, S. Needle retention and tree transparency measurement methods and their relationships with tree growth, tree health and environmental variables

Scott, L. Suitability of naturally regenerated *Pinus radiata* for re-establishment in the Nelson region

Smith, A.M.
Xu, Cong Predicting canopy cover in New Zealand grown Douglas-fir
Use of a hydrothermal time model to predict seed germination under variable conditions for *Buddleia davidii*

Yang, Chen Variability of wood quality in very young unimproved *Eucalyptus nitens*

2009

Buchanan, T.
Farrell, A.
Flannery, B. An analysis of two stand edge sampling methods
A comparison of realised gain between commercially available genetic material
Influences of silviculture and genotype on corewood acoustic velocity of radiata pine

McGregor, R.L. Development of a correlation equation for Clegg Impact Soil Tester CBR equivalent values on East Cape forest roads

Park, Da Woon Documentation and analysis of catastrophic wind damage in New Zealand radiata pine plantations

Poulson, E.K. Effects of site preparation on establishment and growth of native woody species in a direct seeding trial, Tiromoana Bush, North Canterbury

Sewell, A.C. Evaluating velocity versus stocking, physiological age and species in a Nelder experiment

Tan, Boon Khiang A study on the usage of wooden poles and crossarms in the New Zealand electricity network industry